



Township N. 23 North, Range N. 4 West 2. Mer. Ind.?

Township Lines.

South Boundary. var. 6<sup>th</sup> 00' E.

West on the S. Boundary of Sec. 36

(Began at post in Mound in Prairie, cn. of T. 22  
223 N, R. 3 & 4 W.)

40.00 set of sec. post from which

a Hickory 11 in. diameter N 24 1/2 W 27 1/2 lbs. dist 8

an Oak 10 ; ; ; N 54 W 265 ; ;

45.00 enter woods

55.00 " Prairie

80.00 set post cn. of sec. 35 & 36 & made a Mound  
Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a B. Oak 27 in. diameter N 83 1/2 W 475 lbs. dist. ;

(no other Bearing tree)

45.00 enter brushy barren woods

80.00 set post cn. of sec. 34 & 35 from which

a W. Oak 12 in. diameter S 70 1/2 E 198 lbs. dist 8

a B. Oak 27 ; ; ; N 22 W 80 ; ;

Land rich & good for farming

West on the S. Boundary of Sec. 34

5.00 enter Prairie

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cn. of sec. 33 & 34 in Prairie & made  
a Mound.

Land 1<sup>st</sup> rate Prairie

West on the S. Boundary of Sec. 33

15.00 enter woods

18.00 " wet Prairie

40.00 set of sec. post from which

a W. Oak 20 in. diameter S 16 E 28 lbs. dist 8

a Do 30 ; ; ; N 62 W 73 ; ;

T. 23 N., R. 4 W. 2. Mer. Ind. <sup>2</sup>

Chas. Spr.

70.00 enter woods

80.00 set part cor. of sec. 32 &amp; 33 from which

a W. Oak 36 in. dia bears S 64° 29' W. dist. 8

a Spr 27 " " " S 89° 41' W 34 " "

Land rich &amp; good for farming, timber Oak

## West on the S. Boundary of Sec. 32

40.00 set g. sec. part from which

a W. Oak 24 in. dia bears S 80° 23' W. dist. 8

a Spr 30 " " " N 40° 06' E 65 " "

80.00 set part cor. of sec. 31 &amp; 32 from which

a Hickory 9 in. dia bears N 14° 41' W 57 W. dist 8

an Oak 27 " " " S 81° 41' W 74 " "

Oak &amp; Hickory land of a good quality

## West on the S. Boundary of Sec. 31

40.00 set g. sec. part from which

a S. Oak 30 in. dia bears N 76° 04' E 42 W. dist 8

a W. Oak 18 " " " S 61° 41' W 57 " "

80.77 Intersect Range line 500 W. S. of temporary  
Township corner - set part at intersection corner  
of T. 22 & 23 N., R. 4 & 5 W. from which

a ——— 27 in. dia bears North 32 W. dist. 8

a W. Oak 30 " " " S 76° 41' W 63 " "

Oak land of an excellent quality, very level &  
good for farming.

## East Boundary, Var. 6° 10' E.

## North on the E. Boundary of Sec. 30

40.00 set g. sec. part from which

a W. Oak 24 in. dia bears N 48° 41' W 55 W. dist. 8

a Spr 12 " " " N 14° 41' W 58 W. " "

45.00 enter woods

80.00 set part cor. of sec. 25 &amp; 30 from which

a W. Oak 30 in. dia bears N 1° 41' W 30 W. dist.

(no other bearing tree)

T. 23 N., R. 4 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>.  
Ch. Lk.

Land mostly 1<sup>st</sup> rate,

North on the E. Boundary of Sec. 25

40.00 set q. sec. part from which

a W. Oak 18 in. dia. bears S 66° 40' W. dist. 8

a Do 18 " " " S 81° 40' W. " " "

80.00 set part cor. of sec. 24 & 25 from which

a W. Oak 36 in. dia. bears N 75° 40' W. dist. 8

a Do 36 " " " S 89° 40' W. " " "

Rich Oak land, level & good for farming,  
Whitish part Prairie

North on the E. Boundary of Sec. 24

33.00 enter Prairie

40.00 set q. sec. part from which

a W. Oak 36 in. dia. bears N 86° 40' W. dist.

(no other Bearing tree)

45.00 traced wet Prairie

67.00 a Creek 200 yds. wide runs W

80.00 set part cor. of sec. 13 & 24 from which

a W. Beech 7 in. dia. bears S 54° 10' W. dist. 8

an Elm 8 " " " N 71° 26' W. " " "

Land same as last noted

North on the E. Boundary of Sec. 13

40.00 set q. sec. part from which

a Sugar 8 in. dia. bears S 33° 15' W. dist. 8

an Elm 7 " " " N 62° 11' W. " " "

80.00 set part cor. of sec. 12 & 13 from which

a Sugar 12 in. dia. bears S 35° 14' W. dist. 8

a W. Oak 36 " " " N 73° 50' W. " " "

Land rich and good for farming, timbered Beech,  
Sugar, Ash, Oak &c.

North on the E. Boundary of Sec. 12

40.00 set q. sec. part from which



T. 23 N., R. 4 W. S. Mer. Ind.<sup>u</sup>  
Ch. Lk.

a Sugar 18 in. diam bears S 69° W 12 lbs. dist. 3  
a S. Oak 27 " " " N 5° E 28 " "  
80.00 set part cor. of sec. 1 & 12 from which  
a Sugar 9 in. diam bears N 71° W 9 lbs. dist. 3  
a W. Ash 5 " " " S 66° E 21 " "  
Land level, very rich & good for farming, timber  
Beech, Sugar, Ash, Oak, Hickory, Gum, Poplar &c.

---

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which  
a Beech 27 in. diam bears S 29° W 27 lbs. dist. 3  
a Do 9 " " " N 39° E 8 " "  
75.32 Intersect N. Boundary 700 lbs. West of temporary  
Township corner - set part at intersection cor. of  
T. 23 & 24 N., R. 3 & 4 W. from which  
a Beech 12 in. diam bears S 25° E 21 lbs. dist. 3  
a Do 10 " " " N 4° W 29 " "  
Land same as on the last mile.

---

North Boundary. Var. 6° 00' E

West on the S. Boundary of Sec. 36, T. 24 N., R. 4 W

40.00 set of sec. part from which  
a Sugar 24 in. diam bears N 6° E 15 lbs. dist. 3  
a Do 12 " " " S 41° W 26 " "  
80.00 set part cor. of sec. 35 & 36 from which  
a B. Walnut 30 in. diam bears East 24 lbs. dist. 3  
a Hickory 12 " " " N 75° W 30 " "  
Land level & 1<sup>st</sup> rate mostly, timber Sugar  
some Walnut, Beech, Oak, Ash, Hickory &c.

---

West on the S. Boundary of Sec. 35, T. 24 N., R. 4 W

40.00 set of sec. part from which  
a Hickory 9 in. diam bears N 4° W 9 lbs. dist. 3  
a Do 8 " " " S 35° E 22 " "  
48.37 set part on the left bank of Wabash River from  
which a Beech 12 in. diam bears N 49° E 16 lbs. dist. 3

T. 23 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Lk.

a Sugar 12 in. diameter N 87° W 16 lbs. dist.  
(So far surveyed in 1819 - Resumed in 1820)  
16.66 set post on right bank of Wabash River from which  
a Sugar 9 in. diameter S 24° E 7 lbs. dist. 8  
a Mulberry 7 " " N 21° E 9 " "  
31.63 set post cor. of sec. 34 & 35 from which  
a Buckeye 18 in. diameter S 58° E 105 lbs. dist. 8  
a Thorn 9 " " N 14° W 140 " "  
(Description of land &c. omitted)

West on the S. Boundary of Sec. 34, T 24 N., R 4 W  
80.00 set post cor. of sec. 33 & 34 (No Bearing trees)  
This mile was not marked.

West on the S. Boundary of Sec. 33, T 24 N., R 4 W  
40.00 set of sec. post on the right bank of Wabash River  
about 100 lbs. West of said bank, from which  
a B. Oak 24 in. diameter S 66° E 32 lbs. dist. 8  
a W. Oak 18 " " N 62° W 105 " "  
80.00 set post cor. of sec. 32 & 33 from which  
a W. Oak 10 in. diameter S 55° E 32 lbs. dist. 8  
a Dr 30 " " S 84° W 53 " "  
Land broken

West on the S. Boundary of Sec. 32, T 24 N., R 4 W  
19.47 a W. Oak 24 in. dia.  
40.00 set of sec. post from which  
a W. Oak 30 in. diameter S 35° E 13 lbs. dist. 8  
a Dr 30 " " S 49° W 31 " "  
67.21 a Dr 14 " "  
80.00 set post cor. of sec. 31 & 32 from which  
an Elm 20 in. diameter S 86° E 45 lbs. dist. 8  
a S. Oak 24 " " N 45° W 7 " "  
Oak land of a good quality.

West on the S. Boundary of Sec. 31, T 24 N., R 4 W

T. 23 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>

Ch. 1 Ch. 2

17.99 a S. Oak 18 in. dia.

40.00 set of sec. part from which

a Hickory 18 in. dia. bears N 50 E 48 lbs. dist. 8

a W. Oak 35 " " " S 86 W 36 " "

58.00 enter Prairie

77.47 Intersect Range line 62 lbs. N. of temporary  
Township corner - set part at intersection cor. of

T. 23 &amp; 24 N., R. 4 &amp; 5 W. from which

a B. Oak 30 in. dia. bears S 26 E 236 lbs. dist. 3

a Hickory 24 " " " S 77 W 141 " "

Land same as last noted -

## West Boundary. Var. 6° 10' E.

North on the E. Boundary of Sec. 36, T. 23 N., R. 5 W.

December 6, 1819

40.00 set of sec. part from which

a B. Oak 15 in. dia. bears N 65 W 18 lbs. dist. 3

a W. Oak 20 " " " S 68 E 40 " "

54.45 set part on left bank of Wabash River from which

a Hackberry 30 in. dia. bears N 30 E 16 lbs. dist. 3

a Maple 30 " " " N 85 W 32 " "

Hackberry bearing tree peaked for a tree of ob-  
servation, line crosses lower part of an Island  
(Line continued in 1820)

11.66 set part on right bank of Wabash River from wh.

a Sugar 7 in. dia. bears S 8 E 6 lbs. dist. 3

a Elm 15 " " " North 20 " "

18.00 enter Prairie

25.55 set part cor. of sec. 25 &amp; 36 from which

a Hackberry 36 in. dia. bears S 1 W 634 lbs. dist.  
(no other Bearing tree)

Overflowed land

North on the E. Boundary of Sec. 25, T. 23 N., R. 5 W.

14.00 passed Prairie

23.53 a S. Oak 33 in. dia.

T. 23 N., R. 4 W. 2. Mer. Ind.<sup>e</sup>Chs. 2<sup>nd</sup>.

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears S 80 E 40 lbs. dist 8

a Spr 27 " " " N 28 W 31 " "

55.00 cut to Prairie

80.00 set post cor. of sec. 24 & 25 in Prairie and made  
a Mound from which

a W. Oak 27 in. dia. bears S 31 E 97 lbs. dist.

(no other Bearing tree)

Prairie rich &amp; good for farming, good Oak land

North on the E. Boundary of Sec. 24, T. 23 N., R. 5 W

31.00 passed Prairie

40.00 set g. sec. post from which

a J. Oak 36 in. dia. bears S 31 E 86 lbs. dist 8

(no other Bearing tree)

62.32 a J. Oak 27 in. dia.

80.00 set post cor. of sec. 13 &amp; 24 from which

a Hickory 18 in. dia. bears N 5 E 183 lbs. dist 8

a B. Oak 30 " " " S 70 W 233 " "

Land level & good for farming, rich soil, not  
much timber. Barrens

North on the E. Boundary of Sec. 13, T. 23 N., R. 5 W

21.13 a W. Oak 4 in. dia.

40.00 set g. sec. post from which

a J. Oak 20 in. dia. bears S 59 W 73 lbs. dist 8

a Sugar 24 " " " N 62 W 85 " "

55.67 a W. Oak 30 " "

80.00 set post cor. of sec. 12 &amp; 13 from which

a Hickory 20 in. dia. bears N 51 W 32 lbs. dist 8

a Spr 14 " " " South 43 " "

Oak land of a middling good quality

North on the E. Boundary of Sec. 12, T. 23 N., R. 5 W

Variation by Observation 5° 58' 6".

Run by Var. 6° 10' E.



T. 23 N., R. 4 W. 2. Mer. Ind. a.

Chs. & Co.

40.00 set green. post from which

a W. Oak 30 in. diameter S 75 E 14 lbs. dist. 8

a Do 14 " " " S 57 W 28 " "

59.38 a Hickory 15 " "

80.00 set post cor. of sec. 1 & 12 from which

a Sugar 14 in. diameter S 45 E 16 lbs. dist. 8

a W. Oak 18 " " " S 29 W 65 " "

Rich Oak & Hickory land, level & good for farming

North on the E. Boundary of Sec. 1, T 23 N, R 5 W

28.71 a W. Oak 24 in. dia.

40.00 set green. post from which

a W. Oak 20 in. diameter N 70 W 91 lbs. dist. 8

an Elm 14 " " " S 38 E 66 " "

53.00 enter Prairie

80.00 set temporary Township corner

Land of a middling good quality.

Surveyed in 1819 & 1820

by William Harris

Dep. Surveyor

Subdivision. Var. 6<sup>th</sup> 10<sup>th</sup> E

North between Sec. 35 & 36, T 23 N, R 4 W

40.00 set green. post from which

a B. Oak 14 in. diameter S 37 W 325 lbs. dist. 8

(no other Bearing trees)

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a B. Oak 15 in. diameter S 82 E 360 lbs. dist. 8

a Cherry 12 " " " N 29 W 877 " "

Land Barrens

East on Raudon between Sec. 25 & 36

40.00 set temp. green. post

80.00 Intersect E. Boundary 12 lbs. N. of post -

Land level, timber Oak, open woods



T. 23 N., R. 4 W. 2. Mer. Ind. a.  
Chp. Lp.

West Connected between Sec. 25 & 26

40.00 set of sec. part at avor. dist. from which  
a W. Oak 16 in. dia. bears S 20° W 30 lbs. dist. 8  
a Do 24 " " " N 76° E 57 " "  
80.00 to sec. cor.

North between Sec. 25 & 26

40.00 set of sec. part from which  
a B. Oak 20 in. dia. bears N 34° E 364 lbs. dist.  
(no other Bearing tree)  
66.78 a Cottonwood 18 in. dia.  
80.00 set part cor. of sec. 23, 24, 25 & 26 from which  
a B. Oak 8 in. dia. bears S 89° W 273 lbs. dist. 8  
a Do 18 " " " N 36° E 167 " "  
Sand Barrens Prairie

East on Random between Sec. 24 & 25

40.00 set temp. of sec. part  
80.10 Intersect E. Boundary 10 lbs. N. of part -  
Sand level Barrens Prairie

West Connected between Sec. 24 & 25

40.05 set of sec. part at avor. dist. from which  
a W. Oak 24 in. dia. bears N 86° E 338 lbs. dist. 8  
(no other Bearing tree)  
80.10 to sec. cor.

North between Sec. 23 & 24

27.18 a B. Oak 18 in. dia.  
40.00 set of sec. part from which  
a B. Oak 18 in. dia. bears S 20° E 53 lbs. dist. 8  
a Hickory 16 " " " N 79° W 85 " "  
62.25 a B. Oak 20 " "  
80.00 set part cor. of sec. 13, 14, 23 & 24 from which  
a W. Oak 20 in. dia. bears N 28° W 19 lbs. dist. 8  
a Do 20 " " " S 52° E 65 " "

T. 23 N., R. 4 W. 2. Mer. Ind. <sup>4</sup>

Ch. Ch.

Land hilly, open woods, timber W &amp; B. Oak, Hickory.

East on Random between Sec. 13 &amp; 24

20.00 a Stream 200 lbs. wide course N 9 W

37.50 a Do 200 " " " S 9 W

40.00 set temp. g. sec. post

43.00 a Stream 200 lbs. wide course N 9 W

80.15 Intersect E. Boundary 15 lbs. N. of post -

Land 1 1/2 mile hilly, last 1/2 mile level, timber  
Oak, Hickory & open woods

West Connected between Sec. 13 &amp; 24

40.07 1/2 set g. sec. post at aver. dist. from which

a Sycamore 14 in. dia. leans S 9 E 120 lbs. dist. 8

a Do 12 " " " N 13 W 200 " "

80.15 to sec. cor.

North between Sec. 13 &amp; 14

9.75 a Stream 200 lbs. wide course N 9 W

39.98 a Do 200 " " " N E

40.00 set g. sec. post from which

a Sugar 6 in. dia. leans S 73 E 86 lbs. dist. 8

an Elm 7 " " " N 50 W 60 " "

43.50 a Stream 200 lbs. wide course N 9 W

70.50 a W. Oak 24 in. dia.

80.00 set post cor. of sec. 11, 12, 13 &amp; 14 from which

a W. Oak 24 in. dia. leans S 76 E 41 lbs. dist. 8

a Buckeye 10 " " " N 35 W 17 " "

Land hilly timber Oak, Beech &amp; open woods.

July 23. 1822

East on Random between Sec. 12 &amp; 13

40.00 set temp. g. sec. post

80.12 Intersect E. Boundary 18 lbs. N. of post -

Land level, timber Beech, Sugar &amp; Upr. Spruce.

## T. 23 N., R. 4 W. 2. Mer. Ind.

Ch. 9th.

West Connected between Sect. 12 &amp; 13

40.00 set g. sec. post at aver. dirt. from which  
 a Sugar 5 in. dia. bears N 64 W 8 lbs. dirt. &  
 an Ash 4 " " " S 41 W 21 " "

80.12 to sec. cor.

North between Sect. 11 &amp; 12

24.24 a Beech 15 in. dia.

40.00 set g. sec. post from which  
 a Beech 24 in. dia. bears S 44 W 15 lbs. dirt. &  
 a Sugar 14 " " " N 17 E 14 " "

59.96 a W. Oak 24 " "

80.00 set post cor. of Sect. 1, 2, 11 & 12 from which  
 a B. Walnut 20 in. dia. bears N 36 E 27 lbs. dirt. &  
 a Beech 20 " " " S 22 W 9 " "  
 Land level, timber Walnut, Sugar & W. Spicet.

East on Random between Sect. 1 &amp; 12

40.00 set temp. g. sec. post

80.20 Intersect E. Boundary 21 lbs. N. of post -  
 Land level, timber Walnut, Sugar & W. Spicet.

West Connected between Sect. 1 &amp; 12

40.10 set g. sec. post at aver. dirt. from which  
 a Beech 18 in. dia. bears S 5 E 22 lbs. dirt. &  
 a Sugar 20 " " " N 40 W 19 " "

80.10 to sec. cor.

North between Sect. 1 &amp; 2

27.55 an Elm 14 in. dia.

40.00 set g. sec. post from which  
 a Sugar 16 in. dia. bears S 77 W 18 lbs. dirt. &  
 a Dr 10 " " " N 3 E 30 " "

48.40 a Dr 14 " "

74.90 Intersect N. Boundary 40 lbs. W. of post -  
 set post at intersection cor. of Sect. 1 & 2 from which

T. 23 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>

Chas. L. G.

a B. Oak 18 in. diameter S 87 E 23 lbs. dist. 8  
 a Hickory 12 " " " N 84 W 63 " "  
 Sand level, timber Beech, Sugar & Wyr. Spice  
 July 24, 1822

---

## North between Sec. 34 &amp; 35

5.00 enter a Prairie

38.25 leave " a B. Oak 14 in. dia.

40.00 set g. sec. post from which

a B. Oak 12 in. diameter S 25 W 45 lbs. dist. 8

a Dr 12 " " " N 40 E 5 " "

68.70 a Dr 12 " "

78.50 enter a Prairie

80.00 set post cor. of sec. 26, 27, 34 &amp; 35 from which

a B. Oak 15 in. diameter S 28 W 250 lbs. dist. 8

a Dr 4 " " " N 20 E 300 " "

Sand Barrens

## East on Random between Sec. 26 &amp; 35

40.00 set temp. g. sec. post in Prairie

80.00 Intersect N &amp; S line 8 lbs. S. of post -

Sand level rich Prairie

## West Corrected between Sec. 26 &amp; 35

40.00 set g. sec. post at aver. dist. in the Prairie,  
when raised a Mound

80.00 to Sec. cor.

## North between Sec. 26 &amp; 27

40.00 set g. sec. post from which no Bearing trees, raised  
a Mound

60.00 leave Prairie

63.74 a Hickory 20 in. dia.

80.00 set post cor. of sec. 22, 23, 26 &amp; 27 from which

a B. Oak 30 in. diameter S 4 W 55 lbs. dist. 8

a Hickory 18 " " " N 55 E 128 " "

## T. 23 N., R. 4 W. E. Mer. Ind. a

Ch. 24.

Land part Prairie, part Barrens, scattering timber

East on Random between Sect. 23 &amp; 26

13.50 enter a Prairie

40.00 set q. sec. post in Prairie (temp.)

80.10 Intersect N. &amp; S. line at post -

Land level, part Prairie, part timber with  
W. Oak &c.

West Corrected between Sect. 23 &amp; 26

40.05 set q. sec. post at aver. dist. in the Prairie where  
raised a Mound

80.00 to sec. cor.

North between Sect. 22 &amp; 23

13.27 a W. Oak 24 in. diam.

40.00 set q. sec. post from which

a W. Oak 24 in. diam. S 35° W 35 lbs. dist. 8

a Dr 24 " " " N 72° E 83 " "

02.92 a Dr 30 " "

80.00 set post cor. of Sect. 14, 15, 22 &amp; 23 from which

a G. S. a sap 6 in. diam. N 76° E 6 lbs. dist. 8

a Dr 5 " " " S 80° W 7 " "

Thinly timbered Barrens

East on Random between Sect. 14 &amp; 23

40.00 set temp. q. sec. post

80.15 Intersect N. &amp; S. line 12 lbs. N. of post -

Land 1 1/2 mile level 2. rate, last 1/2 mile  
hilly, timber W. Oak, open wood

West Corrected between Sect. 14 &amp; 23

40.07 1/2 set q. sec. post at aver. dist. from which

a W. Oak 20 in. diam. S 16° 53 lbs. dist. 8

a Dr 20 " " " N 53° W 10 " "

80.15 to sec. cor.



T. 23 N., R. 4 W. 2. Mer. Ind.<sup>h</sup>

Chr. Cks.

North between Sec. 14 &amp; 15

15.58 a W. Oak 14 in. dia.

40.00 set of sec. post from which

a Hickory 24 in. dia. bears S 68° W 24 lbs. dist. 8

a W. Oak 5 " " " N 36° E 64 " "

60.50 a Stream 200 lbs. wide course W

66.67 a W. Oak 18 in. dia.

80.00 set post cor. of sec. 10, 11, 14 &amp; 15 from which

a W. Oak 30 in. dia. bears N 5° E 34 lbs. dist. 8

a Hickory 20 " " " S 10° W 84 " "

Land 1<sup>st</sup> 1/2 mile level, last 1/2 mile hilly, open  
wood July 25. 1822

East on Random between Sec. 11 &amp; 14

40.00 attempt. g. sec. post

80.06 Intersect N. &amp; S. line 16 lbs. N. of post -

Land level rich, timber Walnut, Sugar & open  
wood

West Corner between Sec. 11 &amp; 14

40.03 set of sec. post at aver. dist. from which

a Sugar 14 in. dia. bears S 19° W 15 lbs. dist. 8

a W. Oak 20 " " " N 33° E 44 " "

80.06 to sec. cor.

West between Sec. 10 &amp; 15

7.50 a Poplar 36 in. dia.

17.50 a Stream 200 lbs. wide course N

18.50 Intersect P. Langlois Reserve 48.80 Ch. N. of the  
S. E. cor. of the same, set post cor. of frac. sec. 10 & 15 from  
which a Sycamore 18 in. dia. bears S 85° E 150 lbs. dist. 8

a Mulberry 8 " " " N 60° W 74 " "

(Description of land &amp;c. omitted)

North between Sec. 10 &amp; 11

22.40 a W. Oak 20 in. dia.

## T. 23 N., R. 4 W. 2. Mer. Ind. A.

Chs. 1st.

40.00 set g. sec. post from which

a Gum 12 in. diameter S 29 E 120 lbs. dist. is

a B. Oak 14 " " " N 11 W 26 " "

54.00 enter a Swamp

80.00 set post cor. of sec. 2, 3, 10 & 11, <sup>in Swamp</sup> from which

a B. Oak 10 in. diameter N 48 E 475 lbs. dist. is

a Hickory 8 " " " S 20 W 500 " "

Land 1<sup>1</sup>/<sub>2</sub> mile low scrubby timber, last 1/2 mile swampy

## East on Random between Sec. 2 &amp; 11

40.00 set temp. g. sec. post

80.00 Intersect N &amp; G. line at post -

Land level, 1<sup>1</sup>/<sub>2</sub> mile Barrens, last 1/2 mile timbered with Oak, Beech &c.

## West Connected between Sec. 2 &amp; 11

40.00 set g. sec. post at aver. dist. from which

a W. Oak 18 in. diameter N 15 E 112 lbs. dist. is

a Do 10 " " " S 21 W 230 " "

80.00 to sec. cor.

## North between Sec. 2 &amp; 3

40.00 set g. sec. post from which

a Hickory 20 in. diameter S 34 E 18 lbs. dist. is

a Do 6 " " " N 65 W 18 " "

53.00 set post on left bank of Wabash River from which

an Ash 8 in. diameter N 28 W 2 lbs. dist. is

a Ironw. 6 " " " S 43 E 7 " "

Land Barrens. July 27. 1822

## North between Sec. 33 &amp; 34

20.00 leave Prairie

40.00 set g. sec. post from which

a Hickory 18 in. diameter S 11 W 43 lbs. dist. is

a Do 20 " " " N 5 E 58 " "

T. 23 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>

Chr. Sh?

46.70 a B. Oak 10 in. dia.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
a W. Oak 24 in. diameter S 8 E 26 lbs. dist. 2

a B. Oak 9 " " " N 30 W 95 " "

Sand Barrens, low timber

East on Random between Sec. 27 &amp; 34

40.00 set temp. g. sec. post

79.90 Intersect N. &amp; S. line at post -

Sand level Barrens, low timber Hickory &amp;c.

West Connected between Sec. 27 &amp; 34

39.95 set g. sec. post at aver. dist. from which

a Hickory 20 in. diameter S 86 E 36 lbs. dist. 2

a Do 20 " " " N 85 W 102 " "

79.90 to sec. cor.

North between Sec. 27 &amp; 28

10.00 leave Barrens

27.70 a W. Oak 10 in. dia.

40.00 set g. sec. post from which

an Ash 18 in. diameter S 16 W 12 lbs. dist. 2

a Gum 20 " " " N 60 E 29 " "

59.39 a Hickory 18 " "

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a Hickory 20 in. diameter S 22 E 4 lbs. dist. 2

a Coffeenut 4 " " " N 20 W 30 " "

Sand level, timber Oak, Hickory &amp;c. open woods

East on Random between Sec. 22 &amp; 27

40.00 set temp. g. sec. post

80.00 Intersect N. &amp; S. line 15 lbs. N. of post -

Sand level, timber Hickory, Oak &amp;c. Open woods

West Connected between Sec. 22 &amp; 27

40.00 set g. sec. post at aver. dist. from which

## T. 23 N., R. 4 W. 2. Mer. Ind. a

Chp. Sh?

a W. Oak 40 in. dia. bears N 53 E 40 lbs. dist. 8

a B. Oak 30 " " " S 33 W 39 " "

80.00 to sec. cor.

## North between Sec. 21 &amp; 22

15.25 a Hickory 18 in. dia.

40.00 a Spruce 18 in. dia. stands for q. sec. cor. from which

a Do 20 " " " bears N 74 E 54 lbs. dist.

62.50 a Sugar 18 " "

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a W. Oak 40 in. dia. bears S 49 E 78 lbs. dist. 8

a Do 24 " " " S 31 W 11 " "

Land level, timber Oak, Hickory &amp; open wood

## East on Randin between Sec. 15 &amp; 22

40.00 set temp. q. sec. post

79.96 intersect N. S. line at post -

Land level, timber W. Oak, Hickory &amp; open wood

## West Connected between Sec. 15 &amp; 22

39.98 set q. sec. post at av. dist. from which

a B. Oak 30 in. dia. bears N 63 E 10 lbs. dist. 8

a Do 24 " " " S 11 W 17 " "

79.96 to sec. cor.

July 28, 1822

## North between Sec. 15 &amp; 16

31.20 intersect P. Langlois Reserve 61.50 Chp. W. of the S.E. cor. and 51.80 Chp. E. of the S.W. cor. of said Reserve - set post cor. of tract sections 15 &amp; 16 from which

a Hickory 8 in. dia. bears S 48 E 150 lbs. dist. 2

a Do 8 " " " S 34 W 276 " "

Land Prairie

## North between Sec. 9 &amp; 10

(61.50 Chp. West of the N.E. corner of P. Langlois

T. 23 N., R. 4 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chas. Lb?

Reserve, where raised a Mound on his line in  
Prairie, no Bearing trees, for cor. of frac. sec.  
9 & 10) thence

15.20 set post cor. of sec. 3, 4, 9 & 10 in Prairie, where  
raised a Mound, no Bearing trees  
(Description of land &c omitted)

---

## East on Random between Sec. 3 &amp; 10

19.50 a Stream 200 Yds. wide course N<sup>9</sup>W

21.00 enter timbered land

40.00 set temp. g. sec. post

51.50 a Stream 200 Yds. wide course S<sup>9</sup>W

60.00 a Do 200 " " " " N<sup>9</sup>W

80.25 Intersect N & S. line at post

Land part 1/2 mile hilly, timbered Oak &c open woods

---

## West Connected between Sec. 3 &amp; 10

40.12 1/2 set g. sec. post at avers. dist. from which

a Buckeye 12 in. dia. bears N 82° W 45 Yds. dist. &

a Do 12 " " " " S 34° W 20 " "

80.25 to sec. cor.

---

## North between Sec. 3 &amp; 4

(g. sec. post omitted)

76.20 set post on left bank of Wabash River from which

a Willow 12 in. dia. bears N 83° W 18 Yds. dist. &

a Do 8 " " " " S 81° E 12 " "

Land rich Prairie

---

## North between Sec. 32 &amp; 33

14.88 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears N 10° E 130 Yds. dist. &

a Do 20 " " " " S 4° W 150 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Hickory 4 in. dia. bears S 22° E 66 Yds. dist. &



T. 23 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>

Oak, Sugar

a B. Walnut 6 in. diameter N 25 W 6 lbs. dirt.

First 1/2 mile timbered with Oak, Walnut &amp;c.

last 1/2 mile Barrens

## East on Random between Sec. 28 &amp; 33

40.00 set temp. gr. sec. post

79.88 Intersect N &amp; S. line at post —

Land level, timber Oak, Sugar &amp; open woods

## West Corrected between Sec. 28 &amp; 33

39.94 set gr. sec. post at aver. dirt. from which

a B. Oak 4 in. diameter N 29 E 16 lbs. dirt. 3

a Buckeye 12 " " " S 18 W 31 " "

79.88 to sec. cor. July 29. 1822

## North between Sec. 28 &amp; 29

22.97 a Hickory 18 in. dia.

40.00 set gr. sec. post from which

a Beech 20 in. diameter N 80 E 31 lbs. dirt. 3

a Sugar 14 " " " S 37 W 20 " "

56.78 a Sassafras 16 " "

80.00 set post cor. of sec. 20, 21, 28 &amp; 29 from which

a W. Oak 30 in. diameter N 11 W 96 lbs. dirt. 3

a B. Oak 20 " " " S 16 E 79 " "

Land level, timber Oak, Hickory, Sugar,  
& open woods

## East on Random between Sec. 21 &amp; 28

40.00 set temp. gr. sec. post

80.00 Intersect N &amp; S. line 7 lbs. S. of post —

Land 1 1/2 mile hilly, last 1/2 mile level,  
timber Oak, Hickory &c open woods

## West Corrected between Sec. 21 &amp; 28

40.00 set gr. sec. post at aver. dirt. from which

a Sugar 16 in. diameter S 68 W 44 lbs. dirt. 3

T. 23 N., R. 4 W. S. Mer. Ind.<sup>a</sup>

Chp. Lk?

a B. Oak 10 in. diameter N 20 E 47 lbs. dist.  
80.00 to sec. cor.

---

## West between Sec. 20 &amp; 29

40.00 set g. sec. post from which

a B. Oak 24 in. diameter N 1 W 75 lbs. dist. 3

a B. Walnut 5 " " S 3 E 49 " "

40.18 Intersect Wabash River 10.12 Chs. wide, set post  
on left bank from which

a Spruce 14 in. diameter S 44 E 35 lbs. dist. 3

an Elm 6 " " N 10 E 19 " "

(Description of land &amp;c. omitted)

## North between Sec. 20 &amp; 21

40.00 set g. sec. post from which

a W. Oak 20 in. diameter S 72 E 39 lbs. dist. 3

a Do 18 " " N 5 W 250 " "

50.52 a Do 18 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a W. Oak 18 in. diameter S 15 W 87 lbs. dist. 3

a Do 14 " " N 9 E 93 " "

First 1/2 mile Barrens, last 1/2 mile level timbered  
land, timber W & B. Oak &c.

---

## East on Raudern between Sec. 16 &amp; 21

40.00 set temp. g. sec. post

80.00 Intersect N &amp; S. line at post -

Land level Prairie

## West Connected between Sec. 16 &amp; 21

40.00 set g. sec. post at aver. dist. from which

a B. Oak 18 in. diameter N 89 E 141 lbs. dist. 3

a W. Oak 14 " " S 70 W 279 " "

80.00 to sec. cor.

## West between Sec. 17 &amp; 20

T. 23 N., R. 4 W. S. Mer. Ind.  
Chs. Lk?

33.00 Intersect Wabash River 11.50 Chs. wide, set post  
on left bank from which  
a Sycamore 40 in. diam. bears S 29 W 34 lbs. dist. 8  
an Elm 24 " " " N 6 E 44 " "  
Land rolling, timber W. Oak, Sugar, open  
woods, the timber stands thin

---

North between Secs. 16 & 17

28.11 a W. Oak 14 in. dia.

40.00 set of sec. post from which  
a W. Oak 24 in. diam. bears S 21 W 12 lbs. dist. 8  
a Spr 20 " " " N 16 E 57 " "

40.00 enter a Prairie

78.00 leave "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
a Sugar 40 in. diam. bears S 78 W 13 lbs. dist. 8  
a Spr 20 " " " N 4 E 63 " "  
Land level part Prairie 2. rate, timbered with  
W. Oaks, Sugar, Hickory &c. open woods  
July 30, 1822

---

East on ~~Randolph~~ between Secs. 9 & 16

29.80 Intersect P. Langlois Reserve 48.50 Chs. N.  
of his S W. cor. set post cor. of frac. sec. 9 & 16  
from which  
a W. Oak 20 in. diam. bears S 50 W 40 lbs. dist. 8  
a Spr 18 " " " N 9 E 43 " "  
W. Oak land

---

West between Secs. 8 & 17

26.21 Intersect Wabash River 10.79 Chs. wide,  
set post on left bank from which  
a Maple 24 in. diam. bears N 28 W 6 lbs. dist. 8  
a Spr 20 " " " S 31 E 30 " "  
(Description of land &c. omitted)

---

T. B. N., R. H. W. L. Mer. Ind. <sup>a</sup>

Chs. Chs.

North between Sec. 8 &amp; 9

14.50 enter Prairie

40.00 set q. sec. post in Mound, no Bearing trees

80.00 set post cor. of sec. 4, 5, 8 & 9 on the left bank of  
Wabash River, where raised a Mound, no  
Bearing trees near.

Said level T. P. rate Prairie

East on Raudens between Sec. 4 &amp; 9

40.00 set temp. q. sec. post in Prairie

80.00 Intersect N. S. line at post -

Said level with Prairie

West Connected between Sec. 4 &amp; 9

40.00 set q. sec. post at aver. dist. in Prairie, where  
raised a Mound

80.00 to sec. cor.

West between Sec. 5 &amp; 8

32.10 in the Wabash River to the right bank

North between Sec. 4 &amp; 5

15.00 <sup>over</sup> Wabash River ~~15.00~~ <sup>Chs.</sup> wide. Set post on  
right bank from which

a Maple 8 in. diameter N 76° W 19 Chs. dist 8,

a Willow 5 " " " N 31° E 14 " "

15.14 a W. Oak 36 " "

42.50 Intersect Burnetts Reserve q. 50 Chs. N 91° of the  
corner on the Wabash River, set post cor. of frac.  
Sec. 4 & 5 from which

a Beech 6 in. diameter S 22° W 3 Chs. dist 8,

a B. Oak 7 " " " N 6° E 6 " "

N 40° W. with Burnetts Reserve line 21.50 Chs. to the westerly  
corner thereof

N 50° E. 23.66 Chs. to the Township line &amp; 2.00 Chs. E. of the

T. 23 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Cts. Cts.

cor. of sec. 32 & 33 - Set post cor. of sec. 4 & 5 from which  
 a W. Oak 10 in. dir. bears S 88° 11' 25" W. dist 8  
 a Spr 30 " " " S 64° 11' 10" " "

South between Sec. 4 & 5

2.75 Intersect Burnetts Reserve - set post from which  
 a W. Oak 10 in. dir. bears N 50° E 90 W. dist 8  
 a Spr 30 " " " N 45° 11' 15" " "

North between Sec. 4 & 5

31.76 Intersect N. Boundary 200 W. of the corner  
 where Burnetts Reserve line crossed.

North between Sec. 31 & 32

40.00 set q. sec. post from which  
 a Hickory 30 in. dir. bears S 54° 11' 27" W. dist 8  
 a B. Oak 35 " " " N 34° E 39 " "

55.57 a Spr 24 " "

67.50 a Stream 20 W. wide course NW

80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
 a W. Oak 30 in. dir. bears S 11° 11' 54" W. dist 8  
 a Hickory 5 " " " N 3° E 16 " "  
 Land 1 1/2 mile Barrens hilly, last 1/2 mile  
 hilly with some scattering timber W. Oak &  
 July 31. 1822

East on Ransom between Sec. 29 & 32

40.00 set temp. q. sec. post

79.94 Intersect N. & S. line 20 W. S. of post -  
 Land level, timber Oak, Sugar & open woods

West Corrected between Sec. 29 & 32

39.97 set q. sec. post at avers. dist. from which  
 an Ash 18 in. dir. bears S 42° E 90 W. dist 8  
 a Spr 12 " " " N 70° 11' 48 " "

79.94 to sec. cor.



T. 23 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>

Ehs. Ehs.

West between Secs. 30 &amp; 31

11.32 a B. Oak 24 in. dia.

22.80 Intersect Wabash River 21.17 Ehs. wide

set post on left bank from which

a Maple 32 in. dia. bears N 54 E 32 lbs. dist 8

a Do 6 " " " S 56 W 29 " "

(Description of land &amp;c omitted)

North between Secs. 29 &amp; 30

11.16 a W. Oak 36 in. dia.

23.70 set post on left bank of Wabash River from which

a Sugar 24 in. dia. bears S 16 W 14 lbs. dist 8

a Hickory 4 " " " N 16 E 7 " "

23.30 Ehs. in the river.

South between Secs. 5 &amp; 6

25.47 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a B. Oak 30 in. dia. bears N 80 E 47 lbs. dist 8

a Do 24 " " " S 72 W 11 " "

52.13 a W. Oak 24 " "

80.00 set post cor. of sec. 5, 6, 7 &amp; 8 from which

a Hickory 18 in. dia. bears N 26 W 37 lbs. dist 8

an Ironwood 8 " " " S 35 E 38 " "

Land level, timber Oak, Hickory &amp; Upr.

Hazel, Sassafras &amp;c

West on Random between Secs. 6 &amp; 7

40.00 set temp. g. sec. post

79.90 Intersect W. Boundary 50 lbs. E. of the post -

Land level, timber Sugar, Walnut &c  
open woods

East Corrected between Secs. 6 &amp; 7

39.95 set g. sec. post from which

an Ash 14 in. dia. bears S 74 W 32 lbs. dist. 8

T. B. N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 W. Ch.

an Ash 24 in. dia. bears N 59 E 17 lb. dist.  
 79.90 to sec. cor. August 1. 1822

East between Sec. 5 & 8

20.21 an Ash 14 in. dia.

40.00 set g. sec. post from which

a Spruce 20 in. dia. bears S 36 W 10 lb. dist. 8

a B. Oak 24 " " " N 37 E 30 " "

45.90 set post on right bank of Wabash River from which

a Sycamore 36 in. dia. bears S 89 W 57 lb. dist. 8

a Willow 5 " " " N 61 E 26 " "

Land very hilly, broken & timber Oak & open wood

South between Sec. 7 & 8

14.50 a Sugar 15 in. dia.

40.00 set g. sec. post from which

an Ash 20 in. dia. bears N 5 E 23 lb. dist. 8

an Ironwood 5 " " " S 12 W 29 " "

65.50 a Sugar 15 " "

80.00 set post cor. of Sec. 7 & 8, 17 & 18 from which

a Hickory 18 in. dia. bears N 26 W 37 lb. dist. 8

an Ironwood 8 " " " S 35 E 38 " "

Land hilly, timber Oak, Hickory & open wood

West on Randon between Sec. 7 & 18

40.00 set temp. g. sec. post

80.00 Intersect W. Boundary 50 lb. S. of post—

Land hilly, timber Oak & Upr. Hazel

East Corrected between Sec. 7 & 18

40.00 set g. sec. post from which

a W. Oak 24 in. dia. bears S 49 E 15 lb. dist. 8

a B. Oak 24 " " " N 26 W 20 " "

80.00 to sec. cor.

East between Sec. 8 & 17

T. 23 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>Exp. 2<sup>d</sup>

9.50 a B. Oak 18 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears S 15 E 6 1/2 m. dist. &amp;

a Do 20 " " " N 11 W 16 " "

43.00 set post on right bank of Wabash River from which

a Maple 10 in. dia. bears S 74 W 34 1/2 m. dist. &amp;

a Do 4 " " " N 65 E 66 " "

Land hilly broken, Upp. Hazel &amp;c.

South between Sec. 17 &amp; 18

27.18 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a Hickory 14 in. dia. bears S 36 E 3 1/2 m. dist. &amp;

a Do 14 " " " N 41 W 30 " "

54.90 a W. Oak 30 " "

80.00 set post cor. of sec. 17, 18, 19 &amp; 20 from which

a Hickory 18 in. dia. bears S 21 W 8 1/2 m. dist. &amp;

a W. Oak 30 " " " N 11 E 61 " "

First 1/2 mile hilly, last 1/2 mile level, timber

Oaks &amp; Hickory Upp. Hazel &amp;c. August 2, 1822

West on Ransom between Sec. 18 &amp; 19

40.00 set temp. of sec. post

79.77 Intersect W. Boundary at the post -

Open Barrens, W. Oak, Hickory &amp;c.

East connected between Sec. 18 &amp; 19

39.88 h set of sec. post at aver. dist. from which

a B. Walnut 6 in. dia. bears N 63 W 34 1/2 m. dist. &amp;

an Elm 18 " " " S 8 E 134 " "

79.77 to sec. cor.

East between Sec. 17 &amp; 20

33.50 set post on right bank of Wabash R. from which

a Sycamore 36 in. dia. bears S 67 W 37 1/2 m. dist. &amp;

a Maple 5 " " " N 57 E 19 " "

T. 23 N., R. 4 W. 2. Mer. Ind.?  
Chs. Sh.

Land hilly, timber Hickory, Oak & Barrens

South between Sec. 19 & 20

21.16 a B. Oak 20 in. dia.

40.00 tot of sec. part from which

a W. Oak 40 in. dia. bears N 71° W 50 lbs. dist. 8

a Do 30 " " " S 10° E 66 " "

69.40 a Maple 20 " "

80.00 tot part en. of sec. 19, 20, 29 & 30 from which

a Maple 20 in. dia. bears N 38° W 22 lbs. dist. 8

a Locust 24 " " " S 19° E 47 " "

Land level Barrens, low timber Oak & Hickory

West on Paudorn between Sec. 19 & 30

40.00 settimp. g. sec. part

52.50 enter Prairie

79.77 Intersect W. Boundary 25 lbs. S. of port -

First 1/2 mile timbered with Oak & last 1/2  
mile Prairie

East Corrected between Sec. 19 & 30

39.88 tot of sec. part at ares. dist. from which

a B. Oak 16 in. dia. bears N 51° W 26 lbs. dist. 8

a W. Oak 18 " " " S 67° E 64 " "

79.77 to sec. cor.

East between Sec. 20 & 29

24.50 tot post on right bank of Wabash R. from which

a Hackberry 10 in. dia. bears N 41° E 8 lbs. dist. 8

a Hickory 10 " " " S 35° W 8 " "

Land hilly

South between Sec. 29 & 30

9.41 a Hackberry 20 in. dia.

33.00 tot post on right bank of Wabash R. from which

a Yew 60 in. dia. bears N 23° E 70 lbs. dist. 8





T. D. N., R. H. W. D. Mer. Ind. &amp;

Circuit. Ch. 24.

Remarks?

S 31° W 55.00 In Sec. 29

S 30.39° W 10.65 to post in line between Sec. 29 &amp; 30

S 27° W 7.50 In Sec. 30

S 49° W 26.00 to post in line between Sec. 30 &amp; 31

S 65.24° W 62.92 <sup>In Sec. 31.</sup> to post in W. BoundaryBeginning at post in Burnetts Reserve  
line on right bank of Wabash River,  
thence said bank down stream:

S 17° W 13.00 In Sec. 4

S 16° W 8.15 to post in line between Sec. 4 &amp; 5

S 33° W 10.00 In Sec. 5

S 64.43° W 29.15 to post in line between Sec. 5 &amp; 8

S 32° W 14.00 In Sec. 8

S 13° W 55.50

S 50.24° E 22.05 to post in line between Sec. 8 &amp; 17

S 8° W 28.50 In Sec. 17

S 6.03° W 52.57 to post in line between Sec. 17 &amp; 20

S 6° W 16.00 In Sec. 20

S 5° E 27.50

S 9° W 11.50

S 7.22° W 26.50 to post in line between Sec. 20 &amp; 29

S 28° W 14.50 In Sec. 29

S 44.14° W 26.86 to post in line between Sec. 29 &amp; 30

S 33° W 21.00 In Sec. 30

S 40° W 22.00

S 33.53° W 21.27 to post in line between Sec. 30 &amp; 31

T. 23 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>

| Courses                    | Cts. Ets. | Remarks                  |
|----------------------------|-----------|--------------------------|
| S 65 41' W                 | 16.00     | In Sec. 31               |
| S 81 41' W                 | 8.00      |                          |
| S 56.03' W                 | 17.60     | to point in W. Boundary. |
| August 4, 1822 Surveyed by |           |                          |
| Henry Bryan                |           |                          |
| Dep. Surveyor.             |           |                          |

I certify that the foregoing transcript of field notes of the survey of Township N. 23 North, in Range N. 4 West of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Nov. 8, 1842

William Johnston  
Sur. Genl.